

BLUE HITS

VALID UNTIL
31/10/2026



Discover **EXCITING PRODUCTS**
at unbeatably **ATTRACTIVE PRICES.**

HAHN+KOLB
GROUP



LET'S WORK TOGETHER.



ATORN ESPRESSO

Harmonious, aromatic, creamy

Aromatic coffee indulgence from Franconia

This premium coffee combines 50 % Highland Arabica and 50 % Gourmet Robusta to create a harmonious blend of full aroma and fine crema. The beans come from sustainable sources and are roasted very gently in the drum in a small traditional Franconian roasting plant. This results in a balanced coffee with an intense flavour that works well with an espresso, cappuccino or Café crema. Perfect for fully automatic coffee machines, portafilters, French presses and filter machines.

CN55500...	Ref. no.	503	504
	Unit price, €	11.90	17.60

Ref. no. 504

Ref. no. 503





ATORN EXTENDABLE LED LAMP WITH MAGNETIC HEAD



Flexible illumination with extendable LED light and magnetic head

This rechargeable LED light is the ideal aid for inspection, maintenance and installation work. Thanks to the extendable design with a maximum length of 522 mm, it can also reach hard-to-reach areas effortlessly. The robust aluminium housing ensures a long service life, while 3 brightness levels enable demand-based illumination. Magnets in the stand and on the lamp head offer versatile mounting and application options, so that both hands remain free for work. The integrated safety electronics, charge control display and convenient USB-C charging function ensure reliable and simple operation in daily use. Ideal for workshops, as well as service, maintenance and inspection tasks.

Technical data:

- Length: 177 mm
- Luminous flux: 100 lm
- Length x width x height: 177 x 21 x 17.5 mm
- IP protection class: IP 65
- Battery designation:
3.7 V lithium-ion rechargeable battery
- Battery capacity: 180 mAh
- Battery voltage: 3.7 V
- Type of battery: Li-ion



CN56801...

Ref. no.
Unit price, €

020
33.00





ATORN RECHARGEABLE TORCH WITH CHARGING STATION

Powerful rechargeable torch with charging station

This rechargeable battery torch features a robust design and provides high flexibility in everyday work. The high-quality aluminium housing provides reliable protection in demanding applications, while 4 switching stages ensure the appropriate illumination in any situation. Thanks to the practical zoom function, the light cone can be individually adjusted by simply turning the lamp head. The high-performance Li-ion rechargeable battery with integrated safety electronics ensures a reliable power supply. Magnetic base and side retaining clip enable comfortable, hands-free working. The supplied magnetic charging station with wall mounting option and USB-C connection ensures a practical storage solution that's always within reach. Ideal for workshops, as well as maintenance, service and inspection work.

Technical data:

- Light source: LED
- Length: 135 mm
- Luminous flux: 600 lm
- Material: Aluminium
- Colour: Blue
- Type of battery: Lithium
- Battery designation:
3.7 V lithium-ion rechargeable battery



CN56801...

Ref. no.
Unit price, €

011
60.00



ATORN CUTTING DISCS

This assortment offers the optimal solution for almost every cutting task - from thin-walled pipes, sheets and profiles to steel, stainless steel, aluminium and other non-ferrous metals. The various designs boast a high cutting speed, low burr formation, low sparking and smooth, precise cutting. Depending on the application and power tool, powerful or particularly lightweight cutting variants are available. This means that you always have the right cutting disc for efficient, clean and

economical results for the workshop, trade use and on the construction site.

Technical data:

- Disc diameter: 125 mm
- Disc thickness: 1.0 mm
- Bore diameter: 22.23 mm
- Max. rotation speed: 12,250 rpm



Ref. no. 031



Ref. no. 036



Ref. no. 046

Free from iron and sulphur	Number of pieces per pack	Removal rate (points system)	Service life (points system)	Stainless steel		Steel		All in one	
				CN 76116... Ref. no.		CN 76116... Ref. no.		CN 76116... Ref. no.	
yes	25	●●●●	●●●●	031	1.26	-	-	-	-
no	50	●●●●	●●●●	-	-	036	1.10	-	-
yes	25	●●●○	●●●○	-	-	-	-	046	1.00

Unit price

ATORN FLAP DISCS

High-quality universal discs for stainless steel, steel

These flap discs are the reliable solution for versatile grinding work on metal. Whether deburring, derusting, fettling, weld seam preparation and post-processing or surface smoothing and

grinding - they boast high cutting performance, a high removal rate and efficient working. The iron- and sulphur-free design also supports clean results in daily use.

Technical data:

- Bore diameter: 22.23 mm
- Number of pieces per pack: 10 pcs

Disc dia. (mm)	Max. rotation speed (rpm)	Shape	Grit	angled		straight	
				CN 76084... Ref. no.		CN 76084... Ref. no.	
115	13,300		40	501	2.70	502	2.80
115	13,300		60	503	2.70	505	2.80
115	13,300		80	507	2.70	509	2.80
125	12,250		40	510	3.06	511	3.06
125	12,250		60	515	3.06	517	3.06
125	12,250		80	519	3.06	520	3.06

Unit price





ATERN COMPRESSED-AIR BLOW GUN MADE OF PLASTIC

These blow-out guns offer impressively comfortable handling, precise control of the air jet and high day-to-day usability. The ergonomic handle, the large hand lever and the robust plastic housing make it a practical aid for quickly and efficiently cleaning components.

Technical data:

- Connecting thread: G 1/4 inch
- Nozzle size: 8 mm



Ref. no. 008



Ref. no. 010



Ref. no. 011



Ref. no. 009



Ref. no. 012

Design	Max. operating pressure (bar)	Pipe length (mm)	Working pressure min./max.	Working temperature min./max.	Sound pressure level (dB)	Air consumption	Min./max. temperature resistance	CN 75176... Ref. no.	
bent	16	105	2 bar to 16 bar	-10 °C to +80 °C	85	380	-10 °C to +80 °C	008	12.90
bent/adjustable	16	105	2 bar to 16 bar	-10 °C to +80 °C	85	380	-10 °C to +80 °C	009	23.50
bent	16	300	2 bar to 16 bar	-10 °C to +80 °C	85	380	-10 °C to +80 °C	010	19.20
bent	12	105	2 bar to 12 bar	-10 °C to +60 °C	78.5	330	-10 °C to +60 °C	011	23.50
straight	12	300	2 bar to 12 bar	-10 °C to +60 °C	78.5	330	-10 °C to +60 °C	012	35.60

Unit price

PLATINUM

Top 1%

ecovadis

Sustainability Rating

APR 2026

ECOVADIS PLATINUM MEDAL

HAHN+KOLB has been awarded the highest award by EcoVadis, making it one of the **top 1 % worldwide**.

The evaluation takes into account:

- Environmental performance
- Labour and human rights
- Ethics
- Sustainable procurement

The result:

A consistently sustainable management system and a clear alignment with international standards.

HAHN+KOLB
GROUP



LET'S WORK TOGETHER.

ATURN MEASURING AND SURFACE PLATE

with drawer undercounter cabinet

The sturdy base frames with 3 drawers with full-extension slide create order at the workplace and ensure that measuring equipment and accessories are always within reach. The measuring and surface plates are already included.


Length x width x thickness			1,000 x 630 x 100 mm	1,200 x 800 x 120 mm	1,200 x 800 x 160 mm
	Accuracy class				
CN35370...	0	Ref. no.	000	004	008
		Unit price	2,340.00+	2,840.00+	3,220.00+



ATURN MEASURING AND SURFACE PLATES MADE OF NATURAL HARD ROCK

Grade 0

For all users who do not need drawers or hinged doors on the measuring and surface plate, this combination with an open base frame is the best and most cost-effective solution.



Length x width x thickness			630 x 400 x 70 mm	630 x 630 x 70 mm	800 x 600 x 80 mm	800 x 600 x 120 mm	1,000 x 630 x 100 mm	1,000 x 1,000 x 100 mm	1,200 x 800 x 120 mm
	Accuracy class								
CN35370...	0	Ref. no.	206	208	210	212	214	216	218
		Unit price	630.00+	740.00+	820.00+	920.00+	1,180.00+	1,560.00+	1,400.00+

Length x width x thickness			1,200 x 800 x 160 mm	1,500 x 1,000 x 160 mm	2,000 x 1,000 x 200 mm
	Accuracy class				
CN35370...	0	Ref. no.	220	222	224
		Unit price	1,660.00+	2,740.00+	4,000.00+

ATURN BASE FRAME FOR HARD ROCK PLATE

including support and bearing set

Stable open base frame incl. steel support and bearing sets with adjustment thread



Suitable for hard rock plate 630 x 400 mm	Suitable for hard rock plate 630 x 630 mm	Suitable for hard rock plate 800 x 630 mm	Suitable for hard rock plate 1,000 x 630 mm	Suitable for hard rock plate 1,000 x 1,000 mm	Suitable for hard rock plate 1,200 x 800 mm	Suitable for hard rock plate 1,500 x 1,000 mm	Suitable for hard rock plate 2,000 x 1,000 mm
CN 35370... Ref. no.	CN 35370... Ref. no.	CN 35370... Ref. no.	CN 35370... Ref. no.	CN 35370... Ref. no.	CN 35370... Ref. no.	CN 35370... Ref. no.	CN 35370... Ref. no.
300 440.00+	302 476.00+	304 476.00+	306 530.00+	308 570.00+	310 600.00+	312 770.00+	314 870.00+
Unit price							



ATORN ALUMINIUM FREE-STANDING LADDER WITH STEPS

single-sided access



The aluminium free-standing ladder with steps with single-sided access features high stability and comfortable working in daily use. Robust rectangular tube side rails and the 4-way flanged step/side-rail connection ensure a long-lasting and secure construction. The practical storage tray keeps important work equipment at hand at all times. For ladders with 7 or more steps, high-strength polyester straps to prevent spreading ensure additional safety. With a load capacity of up to 150 kg, the ladder is a reliable aid for trade, industry and workshops.

Technical data:

- Max. load capacity: 150 kg
- Material: Aluminium
- With storage tray: yes
- EN standard: 131
- Side rail height: 0.073 m
- Subject to mandatory inspection in accordance with DGUV (UVV - German Accident Prevention Regulations): yes



Ref. no. 860



Ref. no. 861



Ref. no. 862



Ref. no. 869



Ref. no. 870



Ref. no. 871



Ref. no. 872



Ref. no. 873

Number of steps	Working height (m)	Platform height (m)	Base width (m)	Weight (kg)	Width (bottom) (m)	CN 50259... Ref. no.	
3	2.70	0.67	0.47	5.5	0.47	860	178.00
4	2.90	0.91	0.50	6.5	0.50	861	198.00
5	3.15	1.14	0.53	7.5	0.53	862	218.00+
6	3.40	1.38	0.55	8.5	0.55	869	258.00+
7	3.60	1.61	0.59	9.5	0.59	870	316.00+
8	3.85	1.84	0.62	11	0.62	871	348.00+
9	4.10	2.08	0.65	12.5	0.65	872	384.00+
10	4.3	2.31	0.68	13.5	0.68	873	414.00+
							Unit price



ATORN ALUMINIUM FREE-STANDING LADDER WITH STEPS

double-sided access



The aluminium free-standing ladder with steps with double-sided access offers secure positioning and a high level of flexibility for a wide range of work. Stable rectangular tube side rails and the tried-and-tested 4-way flanged step/side-rail connection ensure a long-lasting and durable construction. The solid bolted aluminium joint provides additional stability in daily use. The high-strength polyester straps to prevent spreading increase safety when working. With a load capacity of up to 150 kg, the ladder is the ideal solution for trade, industry and workshops.

Technical data:

- Max. load capacity: 150 kg
- Material: Aluminium
- EN standard: 131
- Side rail height: 0.073 m
- Subject to mandatory inspection in accordance with DGUV (UVV - German Accident Prevention Regulations): yes



Ref. no. 874



Ref. no. 875



Ref. no. 876



Ref. no. 877



Ref. no. 878



Ref. no. 879



Ref. no. 880



Ref. no. 881

Number of steps	Working height (m)	Base width (m)	Weight (kg)	Width (bottom) (m)	CN 50259... Ref. no.	
2 x 3	2.20	0.44	5	0.44	874	154.00
2 x 4	2.45	0.46	6.5	0.46	875	188.00
2 x 5	2.7	0.49	8	0.49	876	228.00
2 x 6	2.9	0.52	9	0.52	877	268.00
2 x 7	3.15	0.55	10.5	0.55	878	312.00+
2 x 8	3.4	0.58	12	0.58	879	368.00+
2 x 9	3.6	0.61	13.5	0.61	880	418.00+
2 x 10	3.85	0.64	15.5	0.64	881	458.00+
						Unit price



ATORN ALUMINIUM SERVICE PLATFORMS

rigid, without handrail



This robust aluminium work platform provides safe and convenient access for maintenance, assembly and order picking work. The sturdy, welded tubular construction ensures high load-bearing capacity and durability in daily use. Non-slip steps with aluminium tread plates and a generous 550 x 300 mm tread surface ensure secure positioning and comfortable working. With a load capacity of up to 150 kg, the platform is the ideal solution for workshops, warehouses and industry.

Technical data:

- Material: Aluminium
- EN standard: 131
- Max. load capacity: 150 kg
- Subject to mandatory inspection in accordance with DGUV (UVV - German Accident Prevention Regulations): yes



Ref. no. 882



Ref. no. 883



Ref. no. 884



Ref. no. 885



Ref. no. 886

Number of steps (incl. platform)	Platform height (m)	Footprint	Working height (m)	Can be accessed on Weight (kg)	One-sided	
					CN 50259... Ref. no.	
1 x 1	0.2	0.59 x 0.37 m	2.2	3	882	116.00
1 x 2	0.4	0.70 x 0.65 m	2.4	4	883	212.00
1 x 3	0.6	0.74 x 0.88 m	2.6	9	884	298.00+
1 x 4	0.8	0.79 x 1.13 m	2.8	11	885	384.00+
1 x 5	1	0.83 x 1.39 m	3	13	886	494.00+
						Unit price



ATORN ALUMINIUM TELESCOPIC LADDER

4 pieces



The aluminium telescopic ladder combines maximum flexibility with high stability. Due to telescopic outer sections and automatically locking steel hinges, it can be used as a free-standing ladder or a single-section ladder and optimally adapts to different working situations. Robust rectangular tube side rails and square rungs with grooves on both sides ensure secure positioning and a high level of working comfort. The compact design facilitates transport and storage, while the load capacity of up to 150 kg is designed for professional use in trade, service and industry.

Technical data:

- Can be accessed on: both sides
- Material: Aluminium
- Folding: yes
- EN standard: 131
- Max. load capacity: 150 kg
- Subject to mandatory inspection in accordance with DGUV (UVV - German Accident Prevention Regulations): yes



Ref. no. 887



Ref. no. 888



Ref. no. 889



Ref. no. 890

Step depth (m)	No. of rungs	Single-section ladder: Max. working height (m)	Weight (kg)	Width (bottom) (m)	CN 50259... Ref. no.	
0.03	4 x 3	4.20	11.88	0.50	887	418.00
0.03	4 x 4	5.30	14.5	0.56	888	462.00
0.03	4 x 5	6.40	17.5	0.63	889	540.00+
0.03	4 x 6	7.50	21	0.70	890	640.00+
						Unit price



ATORN ALUMINIUM STEP STOOL

double-sided access



The folding aluminium work platform offers a safe and comfortable workstation for numerous applications in workshops, warehouses and assembly applications. Stable rectangular-tube side rails, grooved steps and the generous 520 x 330 mm tread surface ensure secure positioning and a high level of working comfort. The robust construction with rigid connection on both sides ensures maximum stability in daily use. The folding design allows the platform to be transported and stored without taking up much space. With a load capacity of up to 150 kg, it is the ideal aid for professional work at height.

Technical data:

- Folding: yes
- Material: Aluminium
- EN standard: 14183
- Max. load capacity: 150 kg
- Can be accessed on: both sides
- Side rail height: 0.073 mm
- Subject to mandatory inspection in accordance with DGUV (UVV - German Accident Prevention Regulations): yes



Ref. no. 891



Ref. no. 892



Ref. no. 893

Number of steps (incl. platform)	Working height (m)	Weight (kg)	No. of rungs	Can be accessed on	CN 50259... Ref. no.	
2 x 2	2.46	6	2 x 2	Both sides	891	184.00
2 x 3	2.69	8	2 x 3	One-sided	892	238.00
2 x 4	2.93	10	2 x 4	One-sided	893	298.00+
						Unit price



ATORN ALUMINIUM MULTI-PURPOSE LADDER

4 pieces with stabiliser



The aluminium multi-purpose ladder boasts high flexibility and versatile application options. Due to its 6 automatically locking steel hinges, it can be quickly and safely adapted to different working situations and used as a free-standing ladder, a single-section ladder or as a working platform (when combined with a suitable platform). Robust rectangular tube side rails and square rungs with grooves on both sides ensure stability and secure positioning. The durable construction with 4-way flanged rung/side-rail connection is designed for professional use and carries loads of up to 150 kg. The ideal solution for trade, assembly, maintenance and service work.

Technical data:

- Length of stabiliser: 0.93 m
- Base width: 0.93 m
- Can be accessed on: both sides
- Side rail height: 0.058 m
- Material: Aluminium
- Folding: yes
- EN standard: 131
- Max. load capacity: 150 kg
- Width (bottom): 0.35 m
- Subject to mandatory inspection in accordance with DGUV (UVV - German Accident Prevention Regulations): yes



Ref. no. 894



Ref. no. 896



Ref. no. 895

Step depth (m)	No. of rungs	Weight (kg)	CN 50259... Ref. no.	
0.03	2 x 2 + 2 x 3	12.5	894	304.00
0.03	2 x 3 + 2 x 4	14.5	895	352.00
0.03	4 x 3	14	896	328.00
			Unit price	



ATORN RECYCLING BIN MADE FROM SHEET STEEL, 70 LITRES

with bag holder

This robust waste collector made of high-quality steel sheet boasts high stability and durable textured powder coating. The self-closing swivel flap ensures hygienic and odour-inhibiting disposal of waste. The front hinged door allows 70 litre waste bags to be changed quickly and conveniently. Versions with foot levers also enable particularly hygienic, non-contact operation. Ideal for workshops, production areas, warehouses and public facilities.

Technical data:

- Capacity: 70 l
- Width: 400 mm
- Height: 1,000 mm
- Depth: 380 mm
- Material: Sheet steel
- Self-extinguishing: no
- Surface: powder-coated
- With inner bin: with waste bag holder
- Colour: Graphite grey RAL 7024
- Building material class: A1: Non-combustible

Foot-operated	Type designation	CN 50072... Ref. no.	
no	For residual waste	016	306.00+
no	For paper waste	017	306.00+
no	For recyclable waste	018	306.00+
yes	For residual waste	019	330.00+
yes	For paper waste	023	330.00+
yes	For recyclable waste	024	330.00+
		Unit price	



Ref. no. 016



Ref. no. 017



Ref. no. 018



Ref. no. 019



Ref. no. 023



Ref. no. 024

ATORN RECYCLING BIN MADE FROM SHEET STEEL, 70 LITRES

with zinc plated interior compartment



Ref. no. 037



Ref. no. 038



Ref. no. 039



Ref. no. 040



Ref. no. 041



Ref. no. 042

The robust waste collector in high-quality sheet steel boasts high stability and durable textured powder coating. The self-closing swivel flap ensures hygienic and odour-inhibiting disposal of waste. The front hinged door allows 70 litre waste bags to be changed quickly and conveniently. Versions with foot levers also enable particularly hygienic, non-contact operation. Ideal for workshops, production areas, warehouses and public facilities.

Technical data:

- Capacity: 70 l

- Width: 400 mm
- Height: 1,000 mm
- Depth: 380 mm
- Material: Sheet steel
- Self-extinguishing: no
- Surface: powder-coated
- With inner bin
- Colour: Graphite grey RAL 7024
- Building material class: A1: Non-combustible

Foot-operated	Type designation	CN 50072... Ref. no.	
no	For residual waste	037	326.00+
no	For paper waste	038	326.00+
no	For recyclable waste	039	326.00+
yes	For residual waste	040	340.00+
yes	For paper waste	041	340.00+
yes	For recyclable waste	042	340.00+
			Unit price



Ref. no. 044

ATORN 3-COMPARTMENT RECYCLING BIN MADE OF SHEET STEEL 3 X 70 LITRES

with zinc plated interior compartment

The robust recycling bin made of high-quality zinc plated sheet steel enables convenient and clear separation of different types of waste. The high-quality textured powder coating ensures a long-lasting and durable surface. 3 zinc plated inner bins each hold a 70 litre waste bag, offering sufficient capacity for daily use. Self-closing swivel flaps reduce odours, while the hinged doors on the front allow the inner bins to be changed quickly and conveniently. Ideal for workshops, production plants, warehouses and public areas.

Technical data:

- Capacity: 3 x 70 l
- Width: 1,180 mm
- Height: 1,000 mm
- Material: Sheet steel
- Self-extinguishing: no
- Surface: powder-coated
- With inner bin
- Colour: Graphite grey RAL 7024
- Building material class: A1: Non-combustible
- Type designation: For residual waste, paper and recyclable waste



Ref. no. 043

Foot-operated		no	yes
CN50072...	Ref. no.	043	044
	Unit price	670.00+	810.00+



ATORN HAND DOLLY

wooden loading area, load capacity 250 kg

The robust folding cart facilitates the safe and ergonomic transport of crates, packages and other loads in the warehouse, workshop or shipping area. The sturdy tubular steel structure with a durable loading platform ensures a high load-bearing capacity in daily use. The ergonomic 1-handed sliding handle enables comfortable and safe handling, while the smooth-running wheels ensure excellent driving characteristics. The integrated EasySTOP central brake enables the dolly to be secured in place quickly and safely. The non-marking tyres protect sensitive floors and make the dolly a reliable aid for transporting materials in-house.

Technical data:

- Load capacity: 250 kg
- Length: 880 mm
- Width: 500 mm
- Height: 880 mm
- Load surface length: 605 mm
- Load surface width: 410 mm
- Colour: Graphite grey RAL 7024
- Number of load surfaces: 1 pcs
- Load surface material: Engineered wood board
- Number of fixed castors: 2 pcs
- Number of swivel castors: 2 pcs
- Wheel diameter: 125 mm
- Wheel material: TPE
- With wheel brake: yes
- With handle: yes
- Surface: powder-coated

CN50269...

Ref. no.
Unit price

544
148.00





ATORN TABLE TROLLEY WITH 2 WOODEN LOAD AREAS

Suitable for Euronorm containers, load capacity 250 kg

This compact shelf trolley is the ideal solution for transporting and providing Euronorm containers in production, assembly and logistics applications. The stable, welded angular steel frame and the precision-fit loading areas for 600 x 400 mm Euro-standard crates allow material and small parts to be stored safely. Smooth-running ball-bearing castors with non-marking tyres ensure a high level of driving comfort and protect sensitive surfaces. The integrated EasySTOP central brake enables the dolly to be secured in place quickly and safely. Perfect for efficient material flows and structured workplace organisation.

Technical data:

- Load capacity: 250 kg
- Load capacity of top load surfaces: 80 kg
- Length: 675 mm
- Width: 415 mm
- Height: 635 mm
- Load surface material: Engineered wood board
- Load surface length: 605 mm
- Load surface width: 410 mm
- Number of load surfaces: 2 pcs
- Colour: Graphite grey RAL 7024
- Number of swivel castors: 2 pcs
- Number of fixed castors: 2 pcs

- Wheel diameter: 125 mm
- Wheel material: TPE
- With wheel brake: yes
- Surface: powder-coated

Type		Without push handle	With push handle
CN50269...	Ref. no. Unit price	545 188.00	546 216.00



Ref. no. 546



Ref. no. 545



ATORN TABLE TROLLEY WITH WOODEN LOAD AREAS

Load capacity 250 kg

This trolley is the ideal solution for efficient material and goods transport in storage, production and shipping applications. The sturdy design made of welded tubular steel and profile steel ensures a high load capacity and durability. Loading surfaces with a circumferential edge reliably secure the goods to prevent them from slipping. Smooth-running, ball-bearing castors with non-marking tyres enable convenient and low-impact handling. The integrated EasySTOP central brake provides additional safety, stopping the trolley quickly and reliably. A versatile all-rounder for daily use in operation.

Technical data:

- Load capacity: 250 kg
- Type: with push handle
- Load capacity of top load surfaces: 80 kg
- Height: 1,010 mm
- Load surface material: Engineered wood board
- Colour: Graphite grey RAL 7024
- Number of swivel castors: 2 pcs
- Number of fixed castors: 2 pcs
- Wheel diameter: 125 mm
- Wheel material: TPE
- With wheel brake: yes
- Surface: powder-coated



Ref. no. 547



Ref. no. 548



Ref. no. 549



Ref. no. 550

Length (mm)	975	1,125	975	1,125
Width (mm)	525	625	525	625
Loading surface length (mm)	835	985	835	985
Loading surface width (mm)	490	590	490	590
Number of loading areas (PCS)	2	2	3	3
CN50269...	Ref. no. Unit price	547 208.00	548 228.00+	549 258.00+
				550 296.00+



ATORN SWIVEL WORK CHAIRS WITH CASTORS

Robust, ergonomic, uncompromisingly comfortable

Anyone who is totally committed to their daily work needs a chair that is just as high-performing as they are.

This swivel work chair combines robust quality, sophisticated ergonomics and noticeable comfort - developed for people who do a great job every day in workshops, production, trade and industry. It provides the right support for focused work and precise manufacturing tasks.

The dynamic permanent-contact backrest follows your movements and supports your back exactly where it matters most. This makes sitting not only comfortable, but also actively relieving - even on long working days. Due to its infinitely variable seat height adjustment, lockable backrest and additional seat inclination adjustment, the chair can be flexibly adapted to your body and your working posture.

The result: more comfort, more freedom of movement, more support - exactly when it counts.

The sturdy black plastic cross base with soft castors for hard floors makes the chair a reliable companion for demanding everyday work: durable, functional and ready for any application.

Technical data:

- Height-adjustable: yes
- Height-adjustable backrest: yes
- Adjustable seat inclination: yes
- Replaceable cushion: no
- With armrests: no
- With foot ring: no
- With step: no
- Load capacity: 120 kg
- Portable: yes
- ESD-capable: no
- DIN: 68877
- Frame material: Plastic
- Base frame colour: Black
- Cushion colour: Black
- Colour: Black



Base frame version					Star-shaped base with castors	Star-shaped base with castors	Star-shaped base with castors
Min. seat height (mm)					450	450	450
Max. seat height (mm)					620	620	620
Seat/backrest material					Synthetic leather	PU foam	Supertec
	Upholstered	Seat/backrest material	Colour				
CN50127...	yes	Synthetic leather	Black	Ref. no. Unit price	023 218.00	-	-
CN50127...	yes	PU foam	Black	Ref. no. Unit price	-	025 228.00	-
CN50127...	yes	Supertec	Black	Ref. no. Unit price	-	-	027 254.00



ATURN SWIVEL WORK CHAIRS WITH FOOT REST RING AND GLIDE RUNNERS

More comfort at a higher level

Made for continuous professional use.

These swivel work chairs with ring foot rest and glide runners are the ideal solution for all those who need to work precisely, safely and comfortably at elevated workstations in industry, trade, production or the workshop. They combine robust load-carrying capacity with ergonomic support and create the best conditions for focused work - day after day.

Due to the infinitely variable seat height adjustment with gas spring, the chair can be adjusted quickly and precisely to the respective work situation. The permanent-contact backrest follows the movements of the upper body and thus supports a natural, back-friendly sitting position. For even more personalised comfort, the backrest can be locked at any desired angle.

The additional seat tilt adjustment is a special plus: Even when working in a forward-facing position, it provides noticeable relief and a pleasantly relaxed

feel. The ring foot rest provides secure support and additional comfort in elevated workstations, while the glide runners ensure stable positioning.

Technical data:

- Height-adjustable: yes
- Height-adjustable backrest: yes
- Adjustable seat inclination: yes
- Replaceable cushion: no
- With armrests: no
- With foot ring: yes
- With step: no
- Load capacity: 120 kg
- Portable: no
- ESD-capable: no
- DIN: 68877
- Frame material: Plastic
- Base frame colour: Black
- Cushion colour: Black



Base frame version				Star-shaped base with gliders	
Min. seat height (mm)				580	
Max. seat height (mm)				840	
	Upholstered	Seat/backrest material	Colour		
CN50127...	yes	Synthetic leather	Black	Ref. no. Unit price	028 298.00
CN50127...	yes	PU foam	Black	Ref. no. Unit price	029 332.00
CN50127...	yes	Supertec	Black	Ref. no. Unit price	031 358.00



ATORN STOOL WITH CASTORS

Compact, flexible, load-bearing

The stool that adapts to your everyday work.

If fast changes, short sitting times and maximum mobility are important in industry and production, this stool is the perfect choice. It combines functional ergonomics, robust workmanship and high flexibility to create a practical seating solution for dynamic workplaces.

The rectangular seat surface offers extra space and is very comfortable - even when sitting down and standing up frequently. The gas spring height adjustment from 450 to 650 mm with practical ring release allows the seat height to be adjusted quickly, conveniently and directly while sitting. This means that the stool can be set to different working heights in no time at all.

Designed for use in demanding working environments, the stool is equipped with an additional gas

spring cover, which reliably protects against dust and dirt. The sturdy black plastic cross base with soft castors for hard floors provides the necessary stability and at the same time the desired freedom of movement.

Technical data:

- Load capacity: 120 kg
- Frame material: Plastic
- Min. seat height: 450 mm
- Max. seat height: 650 mm
- Seat diameter: 400 mm
- Colour: Black
- Height-adjustable: yes
- Height adjustment: Gas spring
- With foot ring: no

	Base frame colour		
CN50127...	Black	Ref. no. Unit price	033 154.00





ATORN CLEANING PROPELLER

Machine room and workpiece cleaning

The cleaning propeller is used for efficient cleaning of clamping equipment, workpieces and machine tables.

The robust design enables reliable working in the automated production process. The blades open and close automatically via the speed of the spindle. The cleaning propeller can be incorporated into any tool holder system with internal cooling or air and is ideal for removing chip accumulations and for blowing out water pockets.


The cleaning propeller is the perfect complement to automated work processes and supports a clean and reliable production environment.

Technical data:

- Length: 115 mm
- Shank diameter: 20 mm



Dia. (mm)		256	160
CN23550...	Ref. no.	000	001
	Unit price	150.00	148.00



ATORN 4-IN-1 CORDLESS PENLIGHT

Versatile 4-in-1 cordless penlight for testing and illumination

This rechargeable cordless penlight combines 4 practical functions in 1 compact tool. In addition to a powerful top spot, it features a UV test light, a side work light with 3 brightness levels, a boost function and an integrated laser. The robust aluminium housing ensures a long service life in daily use. The rotating pen clip with magnet and additional magnetic base enable the lamp to be flexibly mounted and used hands-free. The convenient USB-C charging function with state-of-charge indicator rounds off the sophisticated equipment. Ideal for workshops, as well as service, maintenance and inspection tasks.

Technical data:

- Light source: Light source can be changed
- Length: 168 mm
- Luminous flux: 500 lm
- Material: Aluminium
- Type of battery: Li-ion
- Number of batteries: 1 pcs
- Battery designation:
3.7 V lithium-ion rechargeable battery

CN56808...

Ref. no.
Unit price, €

230
35.00



Visit us at:



Subject to change and errors. Prices are valid until 31/10/2026.

All prices listed are net prices in EUR, subject to statutory VAT.

Special transport: Additional transport costs may apply for products marked with "+".